

Fresh, export



- High yield
- High pourcentage of large tubers
- Low nitrogen requirement

General characteristics

Maturity	Second early
Skin / flesh colour	Yellow / yellow
Tuber shape	Short oval
Plant height	High
Plant growth habit	Semi-upright

Cooking qualities

Cooking type	A	
Flesh firmness	Very good	●●●●●
Discolour. after cook.	None	●●●●●
Frying coloration	Quite dark	●●○○○

Agronomy

Dry matter content	18 %	
Tuberisation	10 to 12	
Large tubers number	Very high	
Bruising	Moder. suscept.	●●●○○
Dormancy	Medium	●●●○○
Storability	Rather long term	●●●●○
De-sprouting	Moder. suscept.	●●●○○
Internal disorders	Slightly suscept.	●●●●●
Washability	Good	●●●●○

Pest & disease resistances

Foliar late blight	Moder. suscept.	●●●○○
Tuber late blight	Moder. suscept.	●●●○○
PCN Ro 1-4	Quite suscept.	●●○○○
PCN Pa 2-3	Quite suscept.	●●○○○
Common scab	Slightly suscept.	●●●●○
Black dot	Moder. suscept.	●●●○○
Y virus	Slightly suscept.	●●●●●
Yntn virus	Slightly suscept.	●●●●●
Leaf roll virus	Slightly suscept.	●●●●○
Early blight	Slightly suscept.	●●●●○